600-width cable tray support



Overview

The 600mm cable tray trapeze bracket is a prefabricated, ready-to-use support system designed to securely suspend cable trays up to 600mm wide with a 300mm drop. Built from hot-dip galvanised (HDG) steel, it ensures durability, corrosion resistance, and reduced installation time. Cable tray for horizontal cable routing. Fitting underneath the worktop. RAL 7035 light grey powder coated. Here you can visualize the product in 3D. When developing our cable support OBO can offer reliable solutions for systems, three attributes are at the routing and fastening cables securely core of what we do: efficiency, resil- for each of these installation challeng- ience and safety. This tray is ideal for high-density cabling environments, providing excellent support and organization to meet your extensive wiring needs efficiently and effectively. It can easily modify the. The MKS and SKS cable tray systems from OBO Bet-termann have a long tradition. For 45 years, the ro-bust systems, which have been tested for various areas of application, have been successfully em-ployed by planners and specialists in the field of elec-trical installations. Cable trays offer continuous support of cables, are lightweight, quick and straight forward to install just about anywhere, and generally mean that changing cabling.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Article Content

Guide to cable support systems

Widths of 8 and 15 millimetres enable flexible adjustment to different cable trays, cable ladders and cable volumes. With the help of the matching SBV tightening strap locks and 576 spring chuck, the

600mm Cable Tray, 600mm Ladder Cable Tray Manufacturer

Introducing the high-capacity 600mm cable tray from NewReach, designed to handle a large volume of cables effortlessly. This tray is ideal for high-density cabling environments, providing excellent

Cable support system

Corner connector for cable trays with side height 35mm. From a width of 150mm, a perforated lower flange is available. Including appropriate fastening material.

Cable Tray Systems

Durable and reliable cable tray systems providing premium performance in commercial and industrial applications, available in a variety of materials to suit your needs.

Wire Mesh Cable Tray | Cable Tray Support

WM wire mesh cable tray comes in standard widths of 50, 100, 150, 200, 300, 400, 500 and 600 mm. Other widths are available on request. The curved edge wire design greatly increases the support

GUIDE CABLE TRAYS TECHNICAL

NEMA VE 1-2017 Specifies requirements for metal cable trays and associated fittings designed for use in accordance with the rules of Canadian Electrical Code, Part I and the National Electrical Code®

Cable Tray Dimensions Guide: Standard Sizes, Tray

Explore standard sizes by tray type, understand width and depth limits, and see how to calculate and choose compliant cable tray sizes for real

600mm Cable Tray Trapeze Bracket – HDG Support

The 600mm cable tray trapeze bracket is a prefabricated, ready-to-use support system designed to securely suspend cable trays up to 600mm wide with a 300mm drop. Built from hot-dip galvanised

EzyTray Cable Tray

© 2026 PROMETHEAS OPTICAL - All rights reserved

The tray is lightweight, dependable and engineered from one piece of steel. Cabling widths available with the EzyTray range from 150-600mm, and the tray gives you a 40mm cabling depth.

Guide to cable support systems

The cable support lengths and fittings can basically be designed as cable trays, cable ladders or mesh cable trays, in which cables are routed. Fittings can, on the one hand, be used for horizontal or

600mm Double Tier Cable Tray Trapeze Bracket – HDG

Description 600mm Cable Tray Double Tier Trapeze Support Bracket – Hot-Dip Galvanised (500mm Drop) The 600mm double tier cable tray trapeze bracket is a prefabricated, ready-to-use support

CT Cable Tray

The CT cable tray is continuously perforated, and made from 1 piece of material. It provides a solution for installers who are looking for an economical support option, only require a shallow cable laying

26 05 36 Cable Trays for Electrical Systems

Install cable tray as a complete system, including fasteners, hold-down clips, support systems, barrier strips, adjustable horizontal and vertical splice plates, elbows, reducers, tees, crosses, cable

FRP Cable Tray | Cable Tray Support

Different Width Different tray widths to give more choice for loading space availability. FCT cable tray comes in standard widths of 50, 100, 150, 200, 300, 400, 500 and 600 mm. Other widths are

ET5 Cable Tray

The ET5 is a strong cable tray that gives the installer cabling depths of 78mm. Available widths range from 150-600mm, and the product is supplied in 3m lengths. Similar to the ET3, the ET5 is formed

RITEWAY CABLE TRAY AND SUPATRAY

A large quantity of smaller diameter cables would probably require a high sided cable tray in order to contain the sideways movement of the cables during laying. Cable weight - The total maximum

KB184 Perf. tray 60x600 T=1.5 L=3m PG | Wibe group

Properties Stago - KB184 perforated cable tray 60x600mm - T=1.5mm - L=3m - pre-galvanized Max. safe working load according to IEC 61537 (EF016305) Span

© 2026 PROMETHEAS OPTICAL - All rights reserved

CABLE TRAY INSTITUTE

The Cable Tray Institute (CTI) was founded in 1991 to support the cable tray industry by engaging in research, development, education, and the dissemination of

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://prometheas.fr
Technical inquiry: https://prometheas.fr/project-desk.html
North American project region: Ashburn, Loudoun County, Virginia, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 PROMETHEAS OPTICAL - All rights reserved