Access Switch Ring Network



Overview

Ethernet ring protection (ERP) switching, is a widely-used technology in the core, distribution and access network layers of telecommunication networks providing fast sub-second convergence and low resource requirements for its control plane operation with simple. Ethernet ring protection (ERP) switching, is a widely-used technology in the core, distribution and access network layers of telecommunication networks providing fast sub-second convergence and low resource requirements for its control plane operation with simple. A ring network is a network topology in which each node connects to exactly two other nodes, forming a single continuous pathway for signals through each node – a ring. Data travels from node to node, with each node along the way handling every packet. Rings can be unidirectional, with all traffic. Device Level Ring (DLR) is a Layer 2 protocol that enables redundancy in a ring topology, providing fast network fault detection and reconfiguration for industrial networks. DLR is an EtherNet/IP™ protocol that is defined by the Open DeviceNet® Vendors' Association (ODVA). DLR network includes at. This guide walks you through everything you need to know about fiber ring networks—from basic concepts to topology diagrams and essential protocols. DLR provides a means to detect, manage, and recover from single faults in a ring-based network. A ring topology improves network availability. When the ring is closed it is in the normal state, and the switch sends.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Article Content

Redundancy Protocol Configuration Guide, Cisco

A DLR ring configured with access ports can connect switches or end nodes. A DLR ring with trunk interfaces serves as an infrastructure that

Fiber Optic Ring Network Design Explained:

Learn how to design a fiber optic ring network with practical diagrams, topologies, and switch setup tips. Explore ring network switch options

EtherNet/IP Device Level Ring

Depending on their firmware capabilities, both devices and switches can operate as supervisors or ring participants on a DLR network. Only some DLR devices, such as switches, can operate as

Ethernet Ring Redundancy

This document provides basic background information regarding adding ring redundancy in your wired Ethernet networks. It will explore the N

Cisco access switch applications

When the ring is closed it is in the normal state, and the switch sends data to the devices in the ring through only one of the two ring ports. The switch manages the physical ring as a single

Ethernet Ring Protection Switching Application Note

Ethernet ring protection (ERP) switching, is a widely-used technology in the core, distribution and access network layers of telecommunication networks providing fast sub-second convergence and low

Core Switch vs. Distribution Switch vs. Access Switch

Core Switch vs. Distribution Switch vs. Access Switch: Understand Their Roles in Ethernet Networks Ethernet networks are growing and becoming more complex,

What do''s and don''ts on a ring network : r/networking

You probably need to have two Distribution Switches and then the other 7 switches connect to the distribution switches. If this is not possible due to your physical plant you may need to consider an

Detailed Explanation of the Ring Network Redundancy Function of ...

© 2026 PROMETHEAS OPTICAL - All rights reserved

At an oil and gas pipeline monitoring station in the Taklimakan Desert, a ring network composed of 12 Ethernet switches is transmitting pressure and temperature parameters at a rate of 100,000 data

Basics of Computer Networking

Computer network is a collection of interconnected devices that communicate with each other to exchange data and resources. It enables

What Is a Ring Topology?

How a ring topology functions in networking, where devices form a closed loop path for data transfer. Meaning of its advantages and limitations in

Redundancy Protocol Configuration Guide, Cisco

Device Level Ring Components of DLR DLR Topology Multiple Rings Redundant Gateways Cisco IE Switch Support for DLR DLR Feature

What is token ring and how does it work?

How does token ring compare to Ethernet? Devices within a token ring network can share the same media access control address without conflict. This

Nintendo Store – Nintendo Official Site

Shop at the Nintendo Store for exclusive Nintendo merchandise, video games in digital and physical formats, Nintendo Switch™ systems,

Network topology Ring + L2 or L3 Access pro and cons

Good morning everyone, i have to design a network topology in which convergence time should be around 50msec. This network should be a L2 Ring connected to an "server access

Understanding Ring Topology

Advantages of Ring Topology Ring Topology offers several advantages, including: High-Speed Data Transfer: Ring Topology can achieve high data transfer rates, as data is transmitted in a

What is Ring Topology: Definition, Types, Diagram

A ring topology is a network layout where each device connects to two neighboring devices, forming a closed loop. Data travels from one device to the

Understanding Ring Network Topology: A

In a ring network topology, a hub or a switch is used to connect all the devices in the network. The hub or switch acts as a central point of connection,

© 2026 PROMETHEAS OPTICAL - All rights reserved

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://prometheas.fr
Technical inquiry: https://prometheas.fr/project-desk.html
North American project region: Ashburn, Loudoun County, Virginia, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 PROMETHEAS OPTICAL - All rights reserved