Huawei 5720 optical module



Overview

The SPB-5720WG series is a small form factor pluggable modules for OC-12/STM-4 SONET/SDH and Fibre Channel single fiber communications by using 1550 nm transmitter and 1310 nm receiver. It is with the SFP 20-pin connector to allow hot plug capability. If a port uses a GPON optical module, other 1000BASE-X optical ports cannot be used. The console cable is not delivered with the switch and needs to be separately purchased if. This article summarizes several solutions for using optical modules with switches and common problems encountered during usage, along with specific solutions. Huawei S5720-32P-EI-AC Switch II. Digital diagnostic functions are available via. Full Huawei Optical Transceiver compatible range - helping you to build cost-efficient networks with ease! SFP, SFP+, QSFP28 and more. Looking for Huawei Transceiver compatibles?

We have matched Huawei's transceiver product portfolio with our transceivers below to assist you in building more. Huawei S5720-EI series switches provide flexible all-gigabit access and enhanced 10GE uplink port scalability.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Article Content

S5720-36PC-EI-AC

If the optical port has an optical module installed and the electrical port has an Ethernet cable connected, the optical port is used for data switching after the switch restarts.

S5720-28P-SI-AC

If the optical port has an optical module installed and the electrical port has an Ethernet cable connected, the optical port is used for data switching after the switch restarts.

Optical Module Solutions for Huawei S5700/S5720 Series Switches

This article summarizes several solutions for using optical modules with switches and common problems encountered during usage, along with specific solutions.

All About S5720 Sfp: Specifications, Performance, and Common Uses

Types of S5720 SFP Modules The Huawei S5720 series switch supports a wide range of pluggable Small Form-factor Pluggable (SFP) optical modules, enabling flexible and scalable

SPB-5720WG

The SPB-5720WG series is a small form factor pluggable modules for OC-12/STM-4 SONET/SDH and Fibre Channel single fiber communications by using 1550 nm transmitter and 1310 nm receiver.

Huawei Compatible Transceivers | EDGE Optical Solutions

140+ Huawei compatible transceivers: SFP, SFP+, XFP, QSFP+, QSFP28 & DAC cables. From €5.14. Coded for Huawei switches. 5-year warranty, fast shipping.

Huawei S5720S-SI Service Manual

requirements. In cloud-based management mode, the S5720-SI can be monitored, managed, and configured on the Huawei agile cloud management platform

S5720-56C-HI-AC Datasheet Overview

Get more information Do you have any question about the Huawei S5720-56C-HI-AC switch? Contact us now via Live Chat or sales@router-switch .

S5720-EI Series Enhanced Gigabit Switches

© 2026 PROMETHEAS OPTICAL - All rights reserved

The ES5D21X02S01 provides two 10GE SFP+ optical ports for data access and line-rate switching. It can be installed in a rear card slot of the switch models listed in the following table.

Huawei S5720-EI Series Switches Product Datasheet

Single-mode optical modules use single-mode fibers, and multi-mode optical modules use multi-mode fibers. For a non-BIDI optical module, each optical interface must be configured with a Tx optical fiber

Huawei Switches Viewing Optical Port Receiving and Sending

Use the command display transceiver to view the optical module information of all optical ports, and use the command display transceiver interface interface-type interface-number to view the

S200, S300, S500, and S600 Hardware Description

S200, S300, S500, and S600 Hardware Description This document describes all the configuration commands of the device, including the command function, format, parameters, views, default level,

Huawei Optical Module Common Models

Huawei''s main business scope is switching, transmission, wireless and data communication telecommunication products, providing network equipment, services and solutions in the field of

10 Gbit/s SFP+ Optical Modules

10 Gbit/s SFP+ optical modules apply to 10 GE optical ports. The wavelength can be 850 nm, 1310 nm, or 1550 nm, and the transmission distance ranges from 0.5 km (0.31 mi) to 80 km (49.71 mi).

S5720-36PC-EI-AC

Power Supply Configuration The S5720-36PC-EI-AC uses pluggable power modules. It can be configured with a single power module or double power modules for 1+1 power redundancy.

S5720-52P-EI-AC

The S5720-52P-EI-AC has a built-in power module and does not support pluggable power modules. It can connect to an RPS1800 power supply for power redundancy. Figure 4-377 shows the power

S5720-52X-SI-AC

© 2026 PROMETHEAS OPTICAL - All rights reserved

Power Supply Configuration The S5720-52X-SI-AC uses pluggable power modules. It can be configured with a single power module or double power modules for 1+1 power redundancy. Pluggable AC and

Typical Troubleshooting Cases of Optical Module

If the optical module is not a Huawei-certified one, replace it with a Huawei-certified optical module. If the optical module is faulty, replace it. If the fault is caused by incorrect configuration or networking

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://prometheas.fr
Technical inquiry: https://prometheas.fr/project-desk.html
North American project region: Ashburn, Loudoun County, Virginia, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 PROMETHEAS OPTICAL - All rights reserved