Roughness Control Process for Optical Module PCB Boards



Overview

Determination of Copper Foil Surface Roughness from Micro-section This paper describes a method by which the surface roughness of a metal foil or conductor.

Key Takeaways

Surface roughness control in optical module PCBs is critical for signal integrity, mechanical precision, and thermal performance, and is achieved through careful material selection, measurement, and process monitoring.

Importance of Roughness Control

Optical module PCBs operate at extremely high data rates (112–224 Gbps per lane and higher), where even minor surface irregularities on copper traces or planes can cause signal distortion, increased bit error rates, and impedance mismatches. Additionally, surface roughness affects adhesion of solder and dielectric layers, mechanical stability, and thermal dissipation, which are crucial for densely packed optical components like DSPs, TIAs, and optical transceivers.

Measurement Techniques

Microsection Analysis: A small, non-functional area of the PCB is removed and microsectioned. The exposed conductor layers are digitally photographed at high magnification, and image-processing algorithms calculate surface roughness values for each side of the conductor independently. This method allows assessment without damaging functional areas of the PCB.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Non-

Contact Optical Methods: Techniques such as laser interferometry, confocal microscopy, and white-light scanning are used to measure fine surface irregularities on copper foils before PCB fabrication. These methods provide high-resolution data on peak-to-valley distributions and roughness frequency, which are critical for high-speed signal performance. Statistical Process Control (SPC): Roughness measurements are integrated into control charts to monitor consistency across production batches, enabling early detection of deviations and predictive adjustments.

Process Control Strategies

Material Selection: Choosing copper foils with specified roughness grades ensures consistent signal performance and reduces skin-effect losses at multi-GHz frequencies. Surface Treatment: Pre-treatment of copper surfaces, such as chemical etching or planarization, can optimize roughness for solderability and adhesion while minimizing signal attenuation. Automated Optical Inspection (AOI): High-resolution cameras and advanced lighting systems inspect PCB surfaces for defects, warpage, or irregularities that could affect roughness and alignment of optical components.

Integration with Quality Assurance: Roughness control is part of a broader PCB QA workflow, including dimensional measurement, assembly inspection, and non-destructive analysis, ensuring that optical module PCBs meet stringent electrical, thermal, and mechanical specifications. Practical ConsiderationsHigh-Density Interconnects (HDI): Optical module PCBs often use stacked microvias and ultra-fine line/space features, making precise roughness control essential to maintain signal integrity and mechanical reliability. Thermal Management: Controlled roughness contributes to better heat dissipation from high-power components, preventing thermal throttling or premature failure.

Data Analytics Integration: Modern systems integrate roughness measurements with predictive analytics to optimize process parameters, maintenance schedules, and design adjustments, reducing defects and improving yield. By combining precise measurement, material control, and process monitoring, manufacturers can ensure that optical module PCBs maintain the mechanical flatness, electrical performance, and thermal stability required for high-speed optical applications.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Article Content

Determination of Copper Foil Surface Roughness from Micro-section

This paper describes a method by which the surface roughness of a metal foil or conductor layer within a PCB may be determined from a microsectioned sample of the same.

PCB Surface Roughness: Key Considerations in PCB

This article will explore what PCB surface roughness is, how it is measured, its effect on PCB Design and PCB Manufacturing, and how to

Optical PCB Manufacturing: Precision Design for Photonics Modules

This guide explains how to spec, design, assemble, and qualify an optical PCB so it can move from prototype builds into stable production for photonics, imaging, sensing, and display hardware.

PCB Hole Roughness Causes and Design Optimization Tips for Better ...

Learn how to reduce PCB hole roughness through material selection, design optimization, and manufacturing collaboration for improved performance, reliability, and quality in

Printed circuit boards quality solutions, precise with high efficency ...

Key processes include surface morphology and roughness analysis of incoming materials, corrosion and adhesion detection on the PCB, and welding quality inspection on the PCBA. The high production

What is Optical PCB?

This article delves into the intricacies of PCB optical modules, discussing their applications, technical requirements, distinct characteristics, and key process controls. The aim is to

Determination of Copper Foil Surface Roughness from Micro ...

Abstract Specification and control of surface roughness of copper conductors within printed circuit boards (PCBs) are increasingly desirable in multi-GHz designs as a part of signal-integrity failure

Optical Module PCB | APTPCB

A comprehensive guide to Optical Module PCB design and manufacturing. Learn definitions, key metrics, selection trade-offs, and validation steps for high-speed transceivers.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Manufacturing Process Requirements for Optical Module PCBs

The manufacture of optical module PCBs constitutes a high-precision, technically demanding task encompassing signal transmission, thermal management, and power supply design. As optical

Challenges Facing PCB Circuit Boards Amidst Optical Module

Amidst optical module technology advancements, PCB circuit boards confront multiple challenges encompassing signal integrity, integration, reliability, and cost. Yet the PCB circuit board industry

The Impact of PCB Surface Roughness from Different Manufacturers

Printed Circuit Board (PCB) manufacturing involves multiple processes that affect the final surface characteristics of copper traces. While most attention in signal integrity analysis traditionally

PCB Design for AI Optical Interconnect Modules: Material, Thermal,

Engineering guide to PCB substrate requirements for co-packaged optics and optical transceiver modules in AI data center infrastructure. Covers low-loss laminate selection, thermal

Key Technology of Optical Module PCB

What is Optical Module PCB? It consists of a photoelectric converter, driver circuit, receiver circuit, and control circuit.

PCB Surface Roughness: Key Considerations in PCB

Test roughness during incoming quality control of raw materials. Record roughness data for traceability in PCB Manufacturing processes.

VarioOptics-Design2

Applications & Markets On-Board Photonics Optical data-transfer (high data-rates, low power consumption) in datacenter racks, flight computer etc (optical backplane) Harsh-environment optical

Roughness of the Copper and its Effect on the Signal

To mitigate the impact of copper roughness on signal integrity, various strategies can be employed, including optimizing the PCB fabrication processes, selecting

What day are you needing his lunch comp d?

This paper examines the use of Light Interferometry and the relevant parameters used to measure copper surface roughness before and after oxide alternative. Also discussed are the limitations and

© 2026 PROMETHEAS OPTICAL - All rights reserved

Optical Module PCBA Manufacturing Process

The optical module PCBA manufacturing process involves assembling optoelectronic devices and electronic components onto printed circuit boards.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://prometheas.fr
Technical inquiry: https://prometheas.fr/project-desk.html
North American project region: Ashburn, Loudoun County, Virginia, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 PROMETHEAS OPTICAL - All rights reserved